

CERTIFICATE

(1) EC-Type Examination

(2) **Equipment and protective systems intended for use in potentially explosive atmospheres - Directive 94/9/EC**

(3) EC-Type Examination Certificate Number: **KEMA 03ATEX1069** Issue Number: **5**

(4) Equipment: **Load Cell Model 0743, 0743-SBK and 0745A**

(5) Manufacturer: **Mettler-Toledo Inc.**

(6) Address: **1900 Polaris Parkway, Columbus, OH 43240, U.S.A.**

(7) This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., notified body number 0344 in accordance with Article 9 of the Council Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the directive.

The examination and test results are recorded in confidential test report number 212601700/1.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0 : 2012

EN 60079-11 : 2012

EN 60079-31 : 2009

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-Type Examination Certificate relates only to the design, examination and tests of the specified equipment according to the Directive 94/9/EC. Further requirements of the directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.

(12) The marking of the equipment shall include the following:



II 2 G Ex ia IIC T4 Gb
II 2 D Ex tb IIIC T100 °C Db

This certificate is issued on 25 June 2013 and, as far as applicable, shall be revised before the date of cessation of presumption of conformity of (one of) the standards mentioned above as communicated in the Official Journal of the European Union.

DEKRA Certification B.V.


R. Schuller
Certification Manager

Page 1/2



© Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.

(13) **SCHEDULE**

(14) **to EC-Type Examination Certificate KEMA 03ATEX1069**

Issue No. 5

(15) **Description**

The load cells Model 0743, 0743-SBK and 0745A convert a mass force into an electrical signal.

The load cells are provided with a permanently connected cable of maximum 30 m length.
The circuits of each load cell are considered as one intrinsically safe circuit.

Ambient temperature range -40 °C to +50 °C.

The specified temperature T100 °C, for applications in explosive atmospheres caused by air/dust mixtures, is based upon an ambient temperature of 50 °C and a dust layer of maximum 5 mm thickness.

Electrical data

Signal and supply circuits:

In type of protection intrinsic safety Ex ia IIC, only for connection to certified intrinsically safe circuits, with the following maximum total values (circuits combined):

$U_i = 25 \text{ V}$; $I_i = 600 \text{ mA}$; $P_i = 1,25 \text{ W}$; $C_i = 5 \text{ nF}$ (= 2 nF for Model 0743-SBK); $L_i = 30 \text{ }\mu\text{H}$ (= 6 μH for Model 0743-SBK)

or

in type of protection Ex tb:

$U_n = 25 \text{ V}$.

Installation instructions

The instructions provided with the equipment shall be followed in detail to assure safe operation.

(16) **Test Report**

No. 212601700/1.

(17) **Special conditions for safe use**

None.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at (9).

(19) **Test documentation**

As listed in Test Report No. 212601700/1.