



FM Approvals
1151 Boston-Providence Turnpike
P.O. Box 9102 Norwood, MA 02062 USA
T: 781 762 4300 F: 781 762 9375 www.fmglobal.com

CERTIFICATE OF COMPLIANCE

HAZARDOUS (CLASSIFIED) LOCATION ELECTRICAL EQUIPMENT

This certificate is issued for the following equipment:

ID7sx Weighing Terminal

IS / I / 1 / ABCD / T4 – 22006478, 22006399

S / II, III / 1 / EFG / T4

Special condition of Use:

The equipment must only be supplied from the FM Approved ID.sx, TBrick-Ex, AWU-Ex and PSUx power supplies as shown in the manufacturer's Control Drawings 22006478 and 2200639.

Equipment Ratings:

Intrinsically Safe for Class I, Division 1, Groups A, B, C, D T4 hazardous (classified) locations.

Approved for:

Mettler Toledo GmbH
Unter dem Malesfelsen 34
D-72423 Albstadt
Germany



This certifies that the equipment described has been found to comply with the following FM Approval Standards and other documents:

Class 3600	1998
Class 3610	1999
Class 3810	1989
Supplement #1	1995


Original Project ID: 3017319

FM Approval Granted: January 12, 2004

Subsequent Revision Reports / Date FM Approval Amended

Report Number	Date	Report Number	Date
---------------	------	---------------	------

FM Global Technologies LLC



David W. Styracula
Technical Team Manager

1/12/04

Date

